RL-4-0452-ADA · SIGNAGE

Illuminated Marquee Sign



BUILT TO ORDER

Every model is a starting point. Modify size, finish, mounting, and branding to suit the site.

STANDARD CONFIGURATION

Dimensions configured to order.

MATERIALS & CONSTRUCTION

- Laser-cut and formed steel, fully welded.
- Fabricated under one roof in Roanoke, Virginia.
- Multi-stage marine-grade powder-coat finish.
- ADA-compliant configuration available.

CUSTOMIZE

Size	Lengths, depths, and back height built to the dimension you specify.
Finish	Any powder-coat color, standard or custom match.
Mounting	Surface, in-ground, or freestanding.
Branding	Laser-cut logos, plaques, and donor recognition integrated into the piece.

WARRANTY

Frame warranted against structural defect; powder-coat finish warranted against failure under normal public-realm use. Full terms on request.

(540) 342-1548 · info@rclfinc.com · Buy America (BABA)

sales order	BDNY 2019
item	RN.05
finish 1	antique brass brushed pc
finish 2	Pantone 7715C
acrylic	White Frosted Acrylic (TBD)

RENAISSANCE

☐ approved
☐ approved as noted
☐ not approved revise as noted

authorized signature date

Custom Decorative Marquee Sign

No. RL-4-0452-ADA JLR

UNDERWRITERS LABORATORIES INC. LISTED

Date 9-24-19


Scale N.T.S.

PHONE 540.342.1548 FAX 540.342.1417 WEB RCLFINC.COM


Renaissance reserves the right to make adjustments during fabrication to ensure product integrity, performance, and meet applicable UL standards.

Revised per conference 9.30.19 dbc
Revised per redlines 10.03.19 dbc
Revised per redlines 10.04.19 bkb
Revised per redlines 10.10.19 bkb

Top View



Front View



sales order	BDNY 2019
item	RN.05
finish 1	antique brass brushed pc
finish 2	Pantone 7715C
acrylic	White Frosted Acrylic (TBD)

RENAISSANCE

☐ approved
☐ approved as noted
☐ not approved revise as noted

authorized signature date

Custom Decorative Marquee Sign

No. RL-4-0452-ADA JLR

UNDERWRITERS LABORATORIES INC. LISTED

Date 9-24-19


Scale N.T.S.

PHONE 540.342.1548 FAX 540.342.1417 WEB RCLFINC.COM

Renaissance reserves the right to make adjustments during fabrication to ensure product integrity, performance, and meet applicable UL standards.

Revised per conference 9.30.19 dbc
Revised per redlines 10.03.19 dbc
Revised per redlines 10.04.19 bkb
Revised per redlines 10.10.19 bkb

Top View



Front View

